(51) International Patent Classification 5 : C12N 15/00, 5/08, C07G 15/00 C07K 7/00, A61K 48/00 A61D 2/06	**A1**	(11) International Publication Number: **WO 90/06997**
		(43) International Publication Date: 28 June 1990 (28.06.90)

(21) International Application Number: PCT/US89/05575

(22) International Filing Date: 8 December 1989 (08.12.89)

(30) Priority data:
283,586   13 December 1988 (13.12.88)   US

(71) Applicants: UNITED STATES GOVERNMENT as represented by THE SECRETARY OF THE DEPARTMENT OF HEALTH AND HUMAN SERVICES [US/US]; Stephen Ficca, Bldg. 31, Room 5A50, National Institute of Health, 9000 Rockville Pike, Bethesda, MD 20892 (US). UNIVERSITY OF MIAMI [US/US]; 1600 N.W. 10th Avenue, P.O. Box 016960, Miami, FL 33101 (US).

(72) Inventors: ANDERSON, W., French ; 6820 Melody Lane, Bethesda, MD 20817 (US). FREEMAN, Scott, M. ; 249 Rollins Avenue, Rockville, MD 20854 (US). ZWEIBEL, James, A. ; 6317 Kenhowe Drive, Bethesda, MD 20817 (US). ANTHONY, Thompson, J. ; 2908 Ward Kline Road, Myersville, MD 21773 (US). RYAN, Una, S. ; 2843 South Bayshore Drive, Miami, FL 33133 (US). KANTOFF, Philip ; 42 Mackintosh Avenue, Needham, MA 02912 (US). DICHEK, David ; 2291 Stratton Drive, Rockville, MD 20854 (US).

(74) Agents: OLSTEIN, Elliot, M. et al.; Carella, Byrne, Bain & Gilfillan, 6 Becker Farm Road, Roseland, NJ 07068 (US).

(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), ES (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: GENETICALLY ENGINEERED ENDOTHELIAL CELLS AND USE THEREOF

(57) Abstract

Endothelial cells are genetically engineered with a gene for a heterologous protein which is a therapeutic agent. The endothelial cells may be seeded onto a vascular graft and implanted in the vascular system of a mammal to produce the therapeutic agent *in vivo*.

GENETICALLY ENGINEERED ENDOTHELIAL
CELLS AND USE THEREOF

This invention relates to genetically engineered cells, and to the use thereof. Still more particularly, this invention relates to genetically engineered endothelial cells and the use thereof for expressing a therapeutic agent.

There have been numerous proposals with respect to genetically engineering mammalian cells. In general, retroviruses have been employed for introducing genetic material into mammalian cells. Thus, there have been proposals to genetically engineer bone marrow and hematopoietic progenitor cells by the use of retroviral vectors. In general, there have been drawbacks to the use of such cells, such as the variable ability to express certain genes and/or inefficient gene transfer. Thus, there have been further proposals for genetically engineering cells capable of both long term survival and stable expression including cells such as fibroblasts, lymphocytes, keratinocytes and hepatocytes for use in gene therapy.

The present invention is directed to genetically engineered endothelial cells, and the use thereof for expressing a heterologous protein. In one embodiment the heterologous protein is a therapeutic agent.

According to one aspect of the present invention, there is provided endothelial cells which are transformed with at least one gene which encodes for at least one heterologous protein, which is preferably a therapeutic agent.

In accordance with another aspect of the present invention, there is provided a solid support which includes endothelial cells transformed with at least one gene which encodes for at least one heterologous protein, preferably a therapeutic agent. In a preferred embodiment, the solid support is one which is compatible with blood and may, for example, be in the form of a blood vessel graft.

In accordance with yet another aspect of the present invention, endothelial cells which are transformed with at least one gene which encodes for at least one heterologous protein, preferably a therapeutic agent are implanted in a blood vessel.

More particularly, the endothelial cells employed in the present invention are endothelial cells derived from a mammal. The endothelial cells are obtained from a blood vessel. The term "blood vessel" as used herein includes veins, arteries and capillaries. Thus, the endothelial cells which are genetically engineered include macrovascular and/or microvascular endothelial cells.

The mammalian cells may be derived from a human or nonhuman mammal. The endothelial cells are preferably derived from a human.

The endothelial cells are transformed with at least one gene which encodes for at least one heterologous protein which is preferably a therapeutic agent. The cells may be transformed in a manner in which the therapeutic agent is secreted from the transformed cells or may be transformed in a manner in which the therapeutic agent remains in or on the transformed cells.

The mammalian endothelial cells are transformed with a suitable vector or expression vehicle which includes a gene for at least one therapeutic agent. The vector includes a promoter

for expression in mammalian cells; for example, SV 40, LTR,
metallothionein, PGK; CMV; ADA; TK; etc. The vector may also
include a suitable signal sequence or sequences for secreting the
therapeutic agent from the cells. The selection of a suitable
promoter is deemed to be within the skill of the art from the
teachings herein.

The expression vehicle or vector is preferably a viral
vector and in particular a retroviral vector. As representative
examples of suitable viral vectors which can be modified to
include a gene for a therapeutic agent, there may be mentioned:
Harvey Sarcoma virus; ROUS Sarcoma virus, MPSV, Moloney murine
leukemia virus, DNA viruses (adenovirus) etc. Alternatively, the
expression vehicle may be in the form of a plasmid. The
expression vehicle may also be in a form other than a vector; for
example, transformation may be accomplished by liposome fusion,
calcium phosphate or dextran sulfate transfection;
electroporation, lipofection, tungsten particles etc. The
selection of a suitable vehicle for transformation is deemed to
be within the scope of those skilled in the art from the
teachings herein.

In employing a retroviral vector as the expression vehicle
for transforming endothelial cells, steps should be taken to
eliminate and/or minimize the chances for replication of the
virus. Various procedures are known in the art for providing
helper cells which produce viral vector particles which are
essentially free of replicating virus. Thus, for example,
Markowitz, et al., "A Safe Packaging Line for Gene Transfer:
Separating Viral Genes on Two Different Plasmids," _Journal of
Virology_, Vol. 62, No. 4, pgs. 1120-1124 (April 1988); Watanabe,
et al., "Construction of a Helper Cell Line for Avian
Reticuloendotheliosis Virus Cloning Vectors, "_Molecular and
Cellular Biology_, Vol. 3, No. 12, pgs. 2241-2249 (Dec. 1983);
Danos, et al., "Safe and Efficient Generation of Recombinant
Retroviruses with Amphotropic and Ecotropic Host Ranges, "_Proc._

Natl. Acad. Sci. Vol. 85, pgs. 6460-6464 (Sept. 1988); and
Bosselman, et al., "Replication-Defective Chimeric Helper
Proviruses and Factors Affecting Generation of Competent Virus:
Expression of Moloney Murine Leukemia Virus Structural Genes via
the Metallothionein Promoter, "Molecular and Cellular Biology,
Vol. 7, No. 5, pgs. 1797-1806 (May 1987) disclose procedures for
producing a helper cell which minimizes the chances for producing
a viral particle which includes replicating virus. This
procedure and other procedures may be employed for genetically
engineering with endothelial cells by use of a retroviral vector.

The endothelial cells which are to be genetically engineered
in accordance with the present invention may be derived from a
mammal, and as hereinabove indicated, such endothelial cells may
be obtained from an appropriate blood vessel, such as an artery,
ve n or capillary. The procedure for obtaining such endothelial
cells from the blood vessel of a mammal are generally known in
the art and a representative procedure is disclosed in the
Examples.

The invention will be further described with respect to
endothelial cells genetically engineered with a gene for a
therapeutic agent; however, the scope of the invention is not to
be limited thereby. For example, the endothelial cells may be
genetically engineered with a gene for a protein which is not a
therapeutic agent; for example, a marker protein, such as
beta-galactosidase.

The endothelial cells are genetically engineered to include
a gene for a therapeutic agent by the use of an appropriate
vector, with the vector preferably being a retroviral vector. A
representative procedure for genetically engineering endothelial
cells by the use of a retroviral vector is described in the
examples, and such general procedure and others may be employed
for introducing other genes into mammalian endothelial cells.
Thus, as described in the Examples, the procedure basically
involves introduction of an appropriate promoter and DNA for the

desired therapeutic agent into an appropriate retroviral vector.
In addition to the promoter and the gene for the therapeutic
agent, other material may be included in the vector such as a
selection gene; for example a neomycin resistance gene; a
sequence for enhancing expression, etc.

The appropriate vector now containing a gene for at least
one desired therapeutic agent is employed for transducing
mammalian endothelial cells by procedures generally available in
the art.

In accordance with an aspect of the present invention,
genetically engineered endothelial cells and in particular those
genetically engineered with at least one gene for at least one
therapeutic agent may be supported on a solid support. The solid
support is preferably one which is biocompatible with blood
whereby the solid support including the genetically engineered
endothelial cells may be placed in communication with the blood
system of a patient. Thus, for example, the solid support may be
employed in an extracorporeal device or implanted in a blood
vessel (the term implant in a blood vessel includes a by-pass or
a shunt for a blood vessel). The implantation may take the form
of a blood vessel graft (the term graft includes a shunt or
bypass). It is to be understood, however, that the solid support
may take a variety of forms, such as pads, strips, gels, etc. and
is not limited to grafts.

The genetically engineered mammalian endothelial cells,
which include a gene for a therapeutic agent, may be implanted in
a blood vessel of a mammal. The mammalian endothelial cells
which are genetically engineered in accordance with the present
invention are derived from a mammal, and the transformed
endothelial cells are implanted in a blood vessel of a mammal of
the same species. In a preferred embodiment, the genetically
engineered mammalian endothelial cells are implanted in the blood
vessel of a host from which the cells were originally derived;
i.e., autologous cells are employed. Thus in a preferred

SUBSTITUTE SHEET

embodiment, endothelial cells are derived from a blood vessel of
a patient, genetically engineered to include a gene for at least
one therapeutic agent and the genetically engineered cells are
implanted in a blood vessel of the patient from which they were
derived. In this manner, autologous genetically engineered
endothelial cells are employed for in vivo production of a
therapeutic agent for treatment of a patient, i.e., gene therapy.

It is to be understood that the genetically engineered
endothelial cells may be implanted in a blood vessel on a solid
support or implanted directly onto a blood vessel (without the
use of a solid support). It is also to be understood that the
endothelial cells may be placed on a solid support in an
extracorporeal device in communication with the blood system.

In accordance with a preferred embodiment, the genetically
engineered mammalian cells are implanted in a blood vessel by
providing a blood vessel graft which includes the genetically·
engineered endothelial cells. The graft now including
genetically engineered endothelial cells may be inserted into a
blood vessel of a host. Thus, in accordance with one aspect of
the present invention, there is provided a blood vessel graft
which includes genetically engineered endothelial cells which are
suitable for use in a mammalian host, which may be a human or
nonhuman mammal.

The blood vessel graft may be any one of a wide variety of
vascular grafts and such grafts may be of various sizes. The
graft may be used in a vein, an artery, or a capillary. The
selection of appropriate grafts is deemed to be within the scope
of those skilled in the art from the teachings herein. Although
in most cases a synthetic vascular graft is preferred, it is
possible within the spirit and scope of the present invention to
provide a blood vessel derived from a host with genetically
engineered endothelial cells and then graft such blood vessel
back into the host. Thus the term graft includes natural and
synthetic grafts.

The graft may be provided with genetically engineered endothelial cells in accordance with the present invention by seeding the genetically engineered endothelial cells onto a suitable blood vessel graft. Representative graft and procedure is disclosed in the Examples. The present invention is not limited to such grafts and procedures. Other grafts and procedures for seeding endothelial cells onto the graft are known in the art and may be used in the present invention. For example, Herring et al Eds. Endothelial Seeding in Vascular Surgery (Grune & Stratton, Inc. Orlando 1987); Ziller et al Eds. Endothelialization of Vascular Grafts, 1st European Workshops on Advanced Technologies in Vascular Surgery, Vienna, Nov. 5-6 (Karger, Basel, 1986). As representative graft materials, there may be mentioned polyesters (for example DACRON); expanded polytetrafluroethylene (Gore-Tex); polyurethanes; coated polyurethanes; such as a silicone coated polyurethane manufactured by Corvita corporation in Miami, Florida; tubular slotted stainless steel stents (Johnson and Johnson) which are coated with a substrate to permit adhesion of the endothelial cells to the stents; natural blood vessels, etc.

The graft, now including genetically engineered endothelial cells, may then be inserted into a blood vessel of a host. The procedures for placing a graft in an appropriate blood vessel are generally known in the art, and such procedures are applicable to the present invention.

Alternatively, endothelial cells may be removed from a blood vessel of a patient, genetically engineered and returned to a blood vessel of the patient, without use of an implantable solid support.

The endothelial cells, which are genetically engineered with an appropriate therapeutic agent, may be genetically engineered in a manner such that the therapeutic agent is secreted into the blood, whereby such therapeutic agent may exert its effect upon cells and tissues either in the immediate vicinity or in more

distal locations. Alternatively, the therapeutic agent may not
be secreted from the cells, and exert its effect within or on the
genetically engineered endothelial cells upon substances that
diffuse into the cell. Thus, for example, adenosine deaminase
(ADA) may function within the cell to inactivate adenosine, a
toxic metabolite that accumulates in severe combined
immunodeficiency syndrome; phenylalanine hydroxylase may function
within a cell to inactivate phenylalanine, a toxic metabolite in
phenylketonuria, etc.

As hereinabove indicated, the endothelial cells are
transformed with a gene for at least one heterologous protein,
preferably a therapeutic agent. The term therapeutic agent is
used in its broadest sense and means any agent or material which
has a beneficial effect on the host. The therapeutic agent may
be in the form of one or more proteins. As representative
examples, there may be mentioned: CD-4; Factor VIII, Factor IX,
von Willebrand Factor, TPA; urokinase; hirudin; the interferons;
tumor necrosis factor, the interleukins, hematopoietic growth
factors (G-CSF, GM-CSF, IL3 erythropoietin), antibodies,
glucocerebrosidase; ADA; phenylalanine hydroxylase, human growth
hormone, insulin, etc. The selection of a suitable gene is
deemed to be within the scope of those skilled in the art from
the teachings herein.

In using the genetically engineered endothelial cells, it is
possible to employ a mixture of endothelial cells which includes
endothelial cells genetically engineered with a gene for a first
therapeutic agent and endothelial cells genetically engineered
with a gene for a second therapeutic agent. It is also possible
to transform individual endothelial cells with more than one
gene.

The genetically engineered endothelial cells may be
implanted in a blood vessel alone or in combination with other
genetically engineered endothelial cells or with other

SUBSTITUTE SHEET

genetically engineered cells, such as smooth muscle cells,
fibroblasts, glial cells, keratinocytes, etc.

The use of genetically engineered endothelial cells permits
a therapeutic agent to be introduced directly into the blood. As
a result of the location of the endothelial cells in immediate
contact with the circulating blood, the survival and delivery of
a therapeutic agent is facilitated.

The genetically engineered endothelial cells (by selection
of high producing clonal populations and/or the use of vectors
with enhanced expression) may be employed to produce, in vivo,
therapeutically effective amounts of a desired therapeutic agent
for treating a patient. In determining the number of cells to be
implanted, factors such as the half life of the therapeutic
agent; volume of the vascular system; production rate of the
therapeutic agent by the cells; and the desired dosage level are
considered. The selection of such vectors and cells is dependent
on the therapeutic agent and is deemed to be within the scope of
those skilled in the art from the teachings herein.

Figures 1a through 1d depict a schematic illustration of
vectors used in the present invention.

The following Examples further illustrate the present
invention; however, the scope of the invention is not to be
limited thereby. In the Examples, unless otherwise specified,
restriction enzyme digests, ligations, transformations, etc. may
be performed as described in Molecular Cloning, A Laboratory
Manual by Maniatis et al.

Example 1

A.   To construct the pG2N retroviral vector of the drawing used
to genetically engineer endothelial cells to produce rat growth
hormone, an SV40 promoted neomycin resistance gene and a rat
growth hormone cDNA were placed into the pB2 retroviral vector
(Laboratory of Molecular Hematology, NIH). A growth hormone cDNA
was obtained by digesting the plasmid RGH-1 (Nature 270, 494
(1977)) with Xho I and Mae III restriction endonucleases

SUBSTITUTE SHEET

(Boehringer Mannheim Biochemicals). This rat growth hormone cDNA
was eletrophoretically isolated out of an agaorse gel and
purified via binding/elution to glass beads, Geneclean (BIO 101,
LaJolla, California). This growth hormone cDNA was then blunted
using the large fragment of DNA polymerase (Klenow) (New England
Biolabs) and nucleotide triphosphates as recommended by the
manufacturer. This fragment was then purified with Geneclean.

The B2 vector was constructed in order to replace the Neo^R
gene in N2, [M.A. Eglitis, P. Kantoff, E. Gilboa, W.F. Anderson,
Science 230, 1395 (1985); D. Armentano et al., J. Virol, 61, 1647
(1987) and shown in the drawing] with a multiple cloning site.
N2 was first digested with Eco RI, thereby releasing both the 5'
and 3' LTRs with the adjoining MoMLV flanking sequences. The 3'
LTR fragment was ligated into the EcoRI site of the plasmid GEM4
(Promega Biotech). The 5' LTR fragment with its flanking gag
sequence was then digested with Cla I, Hind III linkers were
added, and the fragment was inserted into the Hind III site of
pGEM4.

The pB2 vector was digested with the HincII restriction
endonuclease (New England Biolabs), and phosphatased using calf
alkaline phosphatase. (Boehringer Mannheim Biochemicals). The
pB2 plasmid was then purified with Geneclean. The pB2 vector and
the rat growth hormone cDNA were then ligated using T4 ligase
(New England Biolabs). The ligation was then transformed into
competent DH5 bacteria (Bethes da Research Labs). Colonies were
then screened for a growth hormone cDNA containing vector. The
new vector was called pG2. pG2 was then digested with BamHI (New
England Biolabs), purified with Geneclean (Bio 101), and blunt
ended with the Klenow fragment (New England Biolabs). A 340 base
pair SV40 promoted neomycin resistance gene fragment was isolated
from the pSV2CAT plasmid (ATCC accession number 37155) by
digesting with PvuII and HindIII (New England Biolabs). This
fragment was isolated by agarose gel electrophoresis and purified
with Geneclean. The SV40-neomycin resistance fragment was then

ligated using T4 ligase (New England Biolabs) with pG2 and
transformed into DH5 competent bacteria per the manufacturers
instruction (BRL). Colonies were screened and the resulting
plasmid construct was called pG2N.

The SAX vector shown in the drawing was obtained as
described in Proc. Natl. Acad. Sci. USA 83:6563 (1986).

The recombinant vectors (N2,SAX, G2N) used in the study were
each separately transfected into the currently available
retroviral vector packaging cell lines, including the amphotropic
packaging lines, PA12 (Science 225:630 (1984) and PA317 (Mol.
Cell. Biol 6:2895 (1986), and the ecotropic line, Psi2 (Cell
33:153 (1983). These lines were developed in order to allow the
production of helper virus-free retroviral vector particles.

Aortic endothelial cells were obtained from New Zealand
White rabbits (2-5 kilograms) by methods described previously for
obtaining endothelial cells from bovine pulmonary artery (U.S.
Ryan, M. Mortara, C. Whitaker, Tissue & Cell 12, 619 (1980)).
The rabbit was anesthetized (1 ml sodium pentobarbital) and the
aorta was removed and placed in Hanks buffered saline containing
3X antibiotics. The vessel was slit longitudinally and the
luminal surface was scraped with a #11 scalpel blade taking care
to scrape each area only once. The initial isolates were grown
in Ryan Red medium [Ryan et al J. Tissue Cult. Methods, 10:3
(1986)], purified by selection of endothelial "islands" and
passaged with a rubber policeman. Passaged cells were grown in
Primaria 25 cm^2 flasks.

A confluent 100 mm tissue culture dish (Costar) was
harvested with a cell scraper. Following the dispersal of the
cells by titurating 10-20 times with a 5 ml pipet, the cells were
plated into 2-100 mm tissue culture dishes with 8 ml Ryan Red
medium. After an overnight incubation, the medium was removed
and 5 ml retroviral vector supernatant was added with Polybrene
at a final concentration of 8 ug/ml. After a 2 hour incubation
an additional 5 ml of Ryan Red was added to the dish. The cells

were incubated overnight and the medium was replaced with 8 ml of
Ryan Red. After another overnight incubation G418 was added to a
final concentration of 200 ug/ml. The cells were the fed every
3-4 days with Ryan Red containing 200 ug/ml G418. The cell were
subsequently maintained in Ryan Red without G418..

   G2N-infected RAEC that had been selected in G418-containing
growth medium were harvested with a rubber policeman from 2
confluent T75 flasks and suspended in 5 ml of Ryan Red. The cell
suspension was titurated 6-7X with a 6 cc syringe and a 23 gauge
needle. The cells were pelleted and resuspended in 1.25ml of
Ryan Red. A vascular clamp was attached to one of a 10 cm X 4 mm
(inner diameter) Corvita graft (Corvita Corp., Miami, FL) which
is a silicone coated polyurethane graft. The cell suspension was
vortexed and introduced into the open end of the graft with a 3
cc syringe and 20 gauge needle. A second vascular clamp was
attached to the open end and the graft was placed into a 50 ml
conical tube filled with Ryan Red medium. The conical tube was
capped, wrapped in parafilm, and placed into a roller bottle.
The roller bottle was rotated overnight at 37 degrees
Centrigrade. The next day the clamps were removed and the graft
was placed into a 500 ml bottle containing 150 ml of Ryan Red.
The bottle was placed in an incubator equilibrated with 5% CO_2,
at 37 degrees C. It remained in the incubator and was
periodically rotated for the next nine days. At that time the
graft was transferred into a T75 flask, fed with fresh medium and
periodically sampled for rat growth hormone production over the
next four weeks.

   rGH continued to be secreted into the tissue culture medium
at a rate of approximately 1000 ng/10^6 cells/day for at least 4
weeks after seeding the graft as follows.

   Cell on graft   Rat growth hormone
   6 x 10^4 production (ng/$10E^6$
   (cells/cm^2)   cells/24 hours)

Day 13   930

Day 32   1060

B.   Rabbit endothelial cells were also transfected with the vector SAX by the hereinabove described procedure and such tranfected cells were found to express human ADA.

C.   The CD4 containing plasmid (pT4B, a gift of Richard Axel of College of Physicians and Surgeons Columbia University, New York, New York) was digested with the restriction endonucleases Eco RI and Bam HI New England Biolabs, Beverly MA) to release the CD4 gene which was isolated by agarose gel electrophoresis followed by purification via binding/elution to glass beads (using the geneclean product, BIO 101, La Jolla CA in the manner recommended by the manufacturer). The CD4 fragment was ligated (using T4 DNA ligase as recommended by the supplier, New England Biolabs) into Eco RI plus Bam HI cut Bluescript cloning vector (stratagene Co. La Jolla CA). The ligation was then transformed into competent DH5 alpha bacteria (Bethesda Research Labs, Gaithersburg MD) and white colonies were isolated and screened for proper insert size to yield the plasmid pCDW. To produce a suitable plasmid based expression vector for the CD4 gene; the plasmid SV2neo (obtained form American Type Culture Collection, Rockville MD) was digested with Hind 3 plus Hpa I, and a synthetic polylinker sequence from the pUC-13 vector (Pharamicia, Piscataway NJ) was inserted (via T4 DNA ligase) in place of the neo gene of pSV2neo. This ligation was transformed into DH5 bacteria (Bethesda Research Labs) and colonies screened for the presence of restriction enzyme sites unique to the polylinker to yield the vector pSVPL. The pSVPL expression vector was further modified by the insertion of an Xho I linker (conditions and reagents supplied by, New England Biolabs) into the Pvu II site on the 5' side of the SV40 early region promoter to produce pSVPLX.

-14-

The pCDW and pSVPLX plasmids were digested with enzymes Hind
3 plus Xba I (New England Biolabs) and their DNAs isolated (using
the Gene Clean product) following agarose gel electrophoresis.
Ligation of the CD4 fragment into the pSVPLX vector was performed
and colonies were screened to yield pSVCDW in which the SV40
virus early region promoter is used to drive the expression of
the complete CD4 gene product. The next step was to produce a
form of the CD4 gene such that it would be exported from the cell
as an extracellular product.

The production of a soluble form of CD4 was accomplished by
the use of a specially designed oligonucleotide adaptor to
produce a mutant form of the CD4 gene. This adaptor has the
unique property that when inserted into the Nhe I site of the CD4
gene it produces the precise premature termination of the CD4
protein amino acid sequence while regenerating the Nhe I site and
creating a new Hpa I site. This oligonucleotide adaptor
(synthesized by Midland certified reagent Co.) was produced by
annealing two phosphorylated oligonucleotides; 1) 5'
CTAGCITGAGTGAGIT 3', 2) AACTCACTCAAG and then this product was
ligated into the site of pSVCDW. The ligation reaction was then
cleaved with Hpa I and then Xho I linkers were added (New England
Biolabs). The linker reaction was terminated by heating at 65C
for 15 min. and then subjected to digestion with Xho I
restriction endonuclease (New England Biolabs). This reaction
was then subjected to agarose gel electrophoresis and the
fragment containing the SV40-CD_4 adaptor isolated (Geneclean).
The retroviral vector N2 was prepared to accept the
SV40-CD_4-adaptor fragment by digestion with Xho I and treatment
with Calf intestinal phosphatase (Boehringer Mannheim,
Indianpolis IN). The ligation of CD4 expression cassette was
performed with an insert to vector ratio of 5:1 and then
transformed into DH5 competent bacteria (Bethesda Research Labs).
Constructs were analyzed by restriction endonuclease digestion to
screen for orientation and then grown up in large scale. The

construct where the SV40 virus promoter is in the same
orientation as the viral LTR promoters is known as SSC while the
construction in the reverse or reverse orientation is called
SCSC.

The SSC vector is packaged into PA317 cell line as described
by Miller et al supra. to provide PA 317 cells capable of
producing soluble CD4 protein.

The SSC vector packaged PA 317 cells were used to transduce
rabbit endothelial cells as hereinabove described.

The transduced endothelial cells were found to express
soluble CD-4.

D.   Collagen sponges containing adsorbed HBGF-I were
surgically implanted in the abdominal cavity of a rat near the
liver (Science 241, 1349 (1988). Seven (7) to ten (10) days post
implantation, sponges were surgically removed and digested 30 to
60 min. at 37°C with a solution of collagenase in phosphate
buffered saline (1 mg/ml) using a tissue culture incubator (5%
CO_2). Released cells were collected by centrifugation (10 min.,
1000 RPM, 20°C) and washed once with phosphate buffered saline
(PBS) and pelleted by centrifugation. Cells were resuspended
with 30 ml of media containing:

        M199 media (Gibco)
        ECGF (crude brain extract) 7.2mg
        Heparin (Upjohn) 750 units
        20% conditioned cellular media collected as supernatant
from confluent dishes (48 hr.) of either bovine aortic or human
umbilical vein endothelial cells
        10% Fetal Calf serum (Hyclone)
        3000 units Penicillan G (Biofluids)
        3000 units streptomycin sulfate (Biofluids)
and plated for 16 hours on 100 mm tissue culture disk coated with
fibronectin (human) using lug/cm^2. Plated cells were washed with
PBS three times and fed 15ml of previously mentioned media.

Media·was changed every 2 days for the..duration of the procedures.

Selected rat endothelial cells were transduced with the N-7, SAX, G2N and SSC vectors by the following procedure:

      1. 2×10^6 microendothelial cells (monolayer 80% confluent)

      2. 2×10^6 viral supernatant

      3.   Polybrene (8ug/ml)

-Combine 1, 2, 3 in 5ml total volume for 2-3 hours at 37°C (5% CO_2).

-Add 20ml of tissue culture media for 16 hrs. at 37°C (5% CO_2).

-Aspirate off media (virus containing), add fresh culture media.

-After 48-96 hours add G418 (800ug/ml) and culture media.

-Select for one to two weeks changing media every two days.

Cells transduced with N7 expressed neomycin, those transduced with SAX expressed ADA; those transduced with G2N expressed rat growth hormone; and those transduced with SSC expressed sCD4.

The rat endothelial cells transduced with G2N expressed rat growth hormone in vitro as follows:

      10^6 cells produce 3.0 µg after 24 hrs.; 6 µg after 48 hrs.; and 9.0 µg after 72 hours.

<u>Example 2</u>

A.   Endothelial cells were harvested from segments of adult sheep jugular vein, carotid artery, and femoral vein using the method of Jaffee et al. <u>J.Clin.Invest.</u>, 52:2745-2756 (1973). A total of four vessels from three sheep were used. Identification of harvested endothelial cells was confirmed by their cobblestone structure and by confirmed by their cobblestone structure and by binding of the fluorescent ligand DiI-Acetyl-LDL <u>J.Cell.Biol</u>, 99:2034-2040 (1984)). (Biomedical Technologies, Stoughton, Massachusetts). Cells were cultured on fibronectin (Collaborative Research, Bedford, Massachusetts) coated plastic culture dishes (1.0 µg/cm² in M-199 Biofluids, Rockville,

Maryland) with 20% fetal calf serum (Hyclone Laboratories, Logan,
Utah), 100 U/ml penicillin, 100 µg/ml streptomycin, and 0.25
µg/ml amphotericin B (Biofluids). Cells were passaged using
trypsin-EDTA (Biofluids) digestion. Removal of sheep vessels was
done according to protocols approved by the animal use committee
of the National Heart, Lung, and Blood Institute.

B. A murine ecotropic packaging line capable of transmitting
the ß-galactosidase-containing "BAG" vector (Proc. Natl.Acad Sci,
84:156-160 (1987) was provided by Constance Cepko (Harvard
University, Cambridge, Massachusetts). Supernatant from this
packaging line was used to generate an amphotropic packaging line
from PA-317 cells. A human t-PA cDNA (in plasmid pPA34'f)
(J.Biol. Chem, 260 t:11223-11230(1985)) was provided by Sandra
Degan (University of Cincinnati, Cincinnati, Ohio). This t-PA
cDNA was used, through several subcloning steps, to construct a
t-PA containing retroviral vector, B2NSt analogous in
construction to the SAX vector. The corresponding plasmid, based
on the B2 plasmid, (Science), 343:220-222 (1989)) was transfected
into GPE-86 cells, (J.Virol., 62:1120-1124 (1988)) and
supernatant from these cells, thereby, generating amphotropic
packaging clones capable of transmitting the t-PA gene.
Endothelial cells were transduced by incubation for 2 hours with
supernatant-containing virions with the retroviral vector, along
with 8 µg/ml G-418 for at least 16 days. Duplicate cultures of
cells from each vessel harvest were transduced simultaneously
with either the t-PA- or ß-galactosidase-containing retroviral
vector and, then, cultured, passaged, and selected using
identical procedures. In this manner, the t-PA- and
ß-galactosidase-transduced cells served as controls for one
another in experiments involving either ß-galactosidase activity
or t-PA secretion.

C. Tubular slotted stainless steel 1.6-mm diameter stents
(Circulation, 76:IV-27 (1987)) (Johnson and Johnson
Interventional Systems, Warren, New Jersey) were cut at the

articulation, and each half was seeded with endothelial cells,
using a modification of the method of Van der Geissen et al.
(J.Intervent. Cardiol, 1:109-120 (1988)). A total of 10 stent
segments were seeded. Endothelial cells will not grow on bare
metal, and therefore the application of a substrate is necessary
before cell seeding. A fibronectin coating is used in vitro to
allow endothelial cell adhesion to the stents. Stents were
submerged in 100 µg/ml human fibronectin for 15 minutes at 37°
and, then, transferred to polypropylene tubes containing a
suspension of $6-10 \times 10^4$ endothelial cells in 0.8 ml culture
medium. The tubes were placed in a 37° incubator containing 5%
CO_2 and rotated 180° every 10 minutes for 2 hours, after which
the stents and cell suspension were placed in wells of plastic
tissue-culture dishes and additional culture medium added.
Coverage of the stent surfaces was monitored both by
phase-contrast microscopy and by incubation of the stents for 4
hours in medium containing DiI-Acetyl-LDL followed by
fluorescence microscopy.

D.   The presence of the ß-galactosidase gene product was
determined by staining with 5-Bromo-4-
chloro-3-indolyl-ß-D-galactopyranoside (X-Gal) EMBO J.,
5:3133-3142 (1986)) of cells either on tissue-culture dishes or
in situ on the stents. Levels of human t-PA were determined by
enzyme-linked immunosorbent assay (ELISA) on tissue culture
supernatants using a commercially available kit (Thromb. Res.,
41:527-535 (1986)). (American Diagnostica, New York, New York).
Supernatant to be assayed was collected above confluent
monolayers in 35-mm dishes, 48 hours after addition of 2 ml fresh
medium. For measurement of t-PA secretion from a seeded stent,
the stent was transferred to a new well containing fresh medium
and, then, began a timed collection of culture medium. Harvested
supernatant was centrifuged at 15,000g for 15 minutes to remove
cellular debris, made 0.01% with Tween-80, and frozen at -70°C
until assayed. The rate of t-PA secretion in nanograms per 10^6

SUBSTITUTE SHEET

cells per 24 hours was calculated using a confluent cell density
of 3×10^4 cells per cm² of tissue culture plastic (data not
shown).

E.   Seeded stents were incubated in medium containing
DiI-Acetyl-LDL for 4 hours before expansion. The stents were
visualized by fluorescence microscopy to confirm endothelial
coverage, and, then, manually placed over a deflated 3.0-mm
diameter coronary angioplasty balloon catheter (Scimed Life
Systems, Maple Grove, Minnesota). After balloon inflation to 4-6
atmospheres, resulting in complete stent expansion, the balloon
was deflated and the stents were removed from the catheters and,
again, viewed by fluorescence microscopy.

F.   Transduced sheep endothelial cells retained their
cobblestone structure and their ability to bind the fluorescent
ligand DiI-Acetyl-LDL. No difference in structure was detectable
between those cells that had been transduced with the
ß-galactosidase vector and those that were transduced with t-PA
vector.

G.   Only cells in cultures transduced with the ß-galactosidase
gene exhibited deep blue cytoplasm on staining with X-Gal. After
G-418 selection, most of the ß-galctosidase-transduced cells
stained deep blue with X-Gal.

H.   Endothelial cells from all four vessels, when transduced
with the t-PA vector, secreted immunoreactive t-PA. Rates of
t-PA secretion (mean ± SD of duplicate tissue culture wells,
expressed as $ng/10^4$ cells/24 hours) were femoral vein, 370 ± 8;
carotid artery, 660 ± 240; jugular vein 1, 230 ± 6; jugular vein
2, 200 ± 18. t-PA production by the ß-galactosidase- transduced
cells was below the lower limit of sensitivity of the assay
(i.e., less than 5 $ng/10^4$ cells/24 hours) in all of the
supernatants tested.

I.   Fluorescence microscopy of six of the seeded stents
confirmed complete coverage of the visible stent surfaces. When
eight stents seeded with either ß-galactosidase- or

t-PA-transduced endothelial cells were stained with X-Gal, the
stents covered with β-galactosidase- carrying cells turned blue,
whereas the stents covered with t-PA-secreting cells did not.
Measurement of human t-PA levels from the cell culture medicum
surrounding the stents confirmed that t-PA was being secreted
only by the t-PA-transduced endothelial cells. Three stents
seeded with t-PA-transduced endothelial cells, secreted 6.3, 4.8,
and 2.6 ng t-PA/24 hours. t-PA secretion by the
β-galactosidase-transduced cells on each of three stents, if
present, was below the limit of detection of the assay. To check
the internal consistency of our results, the measured t-PA
secretion from each of three lines of transduced cells was used
both before and after they were seeded onto stents to calculate
the surface area of the stents. This calculation is based on the
assumption that the density of the cells and the rate of t-PA
secretion do not change when the cells are on the stents. A
stent surface area (mean ± SD) of 48 ± 19 mm was calculated, not
significantly different from the manufacturer's value of 42 mm^2
(personal communication, Johnson and Johnson Interventional
Systems, Warren, New Jersey).

J.   Four stents covered with DiI-Acetyl-LDL- stained endothelial
cells were expanded using balloon catheters and immediately
viewed with a fluorescene microscope. Near-complete retention of
the cells on the exterior surfaces of all four stents was
confirmed. X-Gal staining of stents was confirmed. X-Gal
staining of stents carrying β-galactosidase- transduced cells
permitted evaluation of cellular retention on all surfaces after
balloon inflation. The stents were viewed with a dissecting
microscope, and cellular retention on all surfaces was estimated.
A total of eight expanded stents were observed after X-Gal
staining, four covered with β-galactosidase- transduced
endothelial cells. Much of the interior lumen surface of the
stents was free of cells after balloon inflation but that the

SUBSTITUTE SHEET

cellular layer on the exterior and lateral stent-strut surfaces
was largely intact.

Although the scope of the present invention is not intended
to be limited to any theoretical reasoning, it is believed that
an intravascular stent seeded with endothelial cells as
hereinabove described may produce a local thrombolytic
environment in vivo. High level secretion of t-PA adjacent to a
forming clot may permit t-PA to be concentrated through the high
affinity binding of t-PA to fibrin. (Thorsen, et al., <u>Thromb D.
Haemorrh</u>, 28:65-74 (1972)). In this manner, fibrinolytic
activity would be directed to microthrombi beginning to form on
the stent surface or downstream, thus preventing the formation of
occlusive thrombi. It has been demonstrated (Hergreuter, et al.,
<u>Plast. Reconstr. Surg.</u>, 81:418-424 (1988)) in a rabbit model that
locally administered t-PA could abort thrombus formation on a
highly thrombogenic inverted artery. Intravascular stents are
far less thrombogenic than is an inverted vessel, and it is
possible that localized delivery of nanogram quantities of t-PA
will result in sufficient thrombolytic activity to prevent
stent-related thrombotic events.

It has also been theorized that the implantation of
genetically engineered endothelial cells on stent surfaces offers
a potential means of preventing intimal hyperplasia because
implanted endothelial cells would be in direct contact with the
intima and could be engineered to secrete proteins capable of
inhibiting intimal growth.

Numerous modifications and variations of the present
invention are possible in light of the above teachings;
therefore, within the scope of the appended claims, the invention
may be practiced otherwise than as particularly described.

WHAT IS CLAIMED IS:

1. A product, comprising:
   endothelial cells genetically engineered with at least one gene for at least one heterologous protein.

2. The product of claim 1 wherein the cells are human endothelial cells.

3. The product of claim 1 wherein the endothelial cells are microvascular endothelial cells.

4. The product of claim 1 wherein the endothelial cells are macrovascular endothelial cells.

5. The product of claim 1 wherein the endothelial cells are genetically engineered with a retroviral vector including a gene for a heterologous protein.

6. The product of claim 5 wherein the heterologous protein is a therapeutic agent.

7. The product of claim 1 wherein the endothelial cells are mammalian endothelial cells.

8. The product of claim 1 wherein the heterologous protein is secretable from the cells.

9. A product comprising:
   a solid support, said solid support including endothelial cells genetically engineered with at least one gene for at least one heterologous protein.

10. The product of claim 9 wherein the solid support is compatible with blood.

11. The product of claim 10 wherein the solid support is a vascular graft.

12. The product of claim 11 wherein the graft is a synthetic graft.

13. The product of claim 10 wherein the solid support is a tubular slotted stainless steel intravascular stent, said stent being coated with a substrate for permitting adhesion of said endothelial cells to said stent.

SUBSTITUTE SHEET

14.   The product of claim 11 wherein the cells are human
endothelial cells.

15.   The product of claim 11 wherein the endothelial cells are
microvascular endothelial cells.

16.   The product of claim 11 wherein the endothelial cells are
macrovascular endothelial cells.

17.   The product of claim 11 wherein the endothelial cells are
genetically engineered with a retroviral vector including a gene
for a heterologous protein.

18.   The product of claim 12 wherein the heterologous protein is
a therapeutic agent.

19.   The product of claim 18 wherein the heterologous protein is
secretable from the cells.

20.   A process for gene therapy, comprising:
      implanting in a blood vessel of a host endothelial cells
genetically engineered with at least one gene for a heterologous
protein which is a therapeutic agent for the host.

21.   The process of claim 20 wherein said endothelial cells are
implanted by implanting in a blood vessel of the host a
biocompatible solid support containing genetically engineered
endothelial cells.

22.   The process of claim 21 wherein the host is a human and the
genetically engineered endothelial cells are human endothelial
cells.

23.   The process of claim 22 wherein the endothelial cells are
genetically engineered with a retroviral vector including a gene
for the therapeutic agent.

24.   The process of claim 21 wherein the host is a human patient
and the endothelial cells are autologous endothelial cells.

25.   The process of claim 24 wherein the solid support is a
vascular graft.

26.   The process of claim 25 wherein the endothelial cells are
genetically engineered with a retroviral vector including a gene
for the therapeutic agent.

27. The proc ss of claim 26 wherein the therapeutic agent is secretable from the cells.

28. The process of claim 20 wherein said endothelial cells are comprised of a first portion genetically engineered to express a first therapeutic agent and a second portion genetically engineered to express a second therapeutic agent different from the first therapeutic agent.

29. The product of claim 7 wherein said gene encodes for soluble CD-4.

30. The product of claim 7 wherein said gene encodes for ADA.

31. The product of claim 7 wherein said gene encodes for TPA.

32. The product of claim 10 wherein the gene encodes for a member selected from the group consisting of soluble CD-4, Factor VIII, Factor IX, von Willebrand Factor, TPA, urokinase, hirudin, the interferons, tumor necrosis factor, the interleukins, hematopoietic growth factors, antibodies, glucocerebrosidase, ADA, phenylalanine hydroxylase, human growth hormone, and insulin.

33. The process of claim 24 wherein the gene encodes for a member selected from the group consisting of soluble CD-4, Factor VIII, Factor IX, von Willebrand Factor, TPA, urokinase, hirudin, the interferons, tumor necrosis factor, the interleukins, hematopoietic growth factors, antibodies, glucocerebrosidase, ADA, phenylalanine hydroxylase, human growth hormone, insulin and erythropoietin.

34. The product of claim 10 wherein the gene encodes for soluble CD-4.

35. The product of claim 10 wherein the gene encodes for ADA.

36. The product of claim 10 wherein the gene encodes for TPA.

37. The process of claim 33 wherein the gene encodes for soluble CD-4.

38. The process of claim 33 wherein the gene encodes for ADA.

39. The process of claim 33 wherein the gene encodes for TPA.

SUBSTITUTE SHEET

//

FIG.1a

SK   P P   E P   P X E C   SK

N 2

LTR   5'ψ   NEO^R   LTR

FIG.1b

SK   P P   E P   P   P   P E C   SK

SAX

LTR   5'ψ   NEO^R   SV40   hADA   LTR

FIG.1c

SK   P P   K   P   P E C   SK

G2N

LTR   5'ψ   ʏGH   SV40 NEO^R   LTR

0   0.5   1.0   1.5   2.0   2.5   3.0   3.5   4.0   4.5   5.0   5.5   6.0

SCALE   IN   Kb

FIG.1d

|← Sst I to Bgl II →|

B2NSt

LTR   NEO^R SV40   t - PA   LTR

|——|
1.0 Kb

SUBSTITUTE SHEET

INTERNATIONAL SEARCH REPORT

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) 6

According to International Patent Classification (IPC) or to both National Classification and IPC

IPC(5): C12N 15/00, C12N 5/08, C07G 15/00, C07K 7/00;
A61K 48/00; A61D 2/06

II. FIELDS SEARCHED

Minimum Documentation Searched 7

Classification System	Classification Symbols
U.S. CL.	435/172.2, 173.2, 240.23, 240.243, 268, 269 935/48, 52, 53, 62 623/1

Documentation Searched other than Minimum Documentation
to the Extent that such Documents are Included in the Fields Searched 8

APS, CAS, BIOSIS

III. DOCUMENTS CONSIDERED TO BE RELEVANT 9

Category *	Citation of Document, 11 with indication, where appropriate, of the relevant passages 12	Relevant to Claim No 13
A	Weinberg et al Science 231: 397-400. 1 January 1986 (See the entire document)	9-12, 14-28 32-39
Y	Yeager et al ASAIO Transactions 34: 88-94. 1988 (Entire document)	19-28,33, 33-39
Y	Williams et al. Nature 310: 476-480. 1984 (Entire document)	1-8, 20-31, 33-39
Y	Seldon et al. Science 236: 714-718. 1987 (Entire document)	1-8,14-31, 33, 37-39
Y	Anderson. Science 226: 401-409. 1984 (Entire document)	1-8, 20-31, 33, 37-39
Y	Coplan et al U.S, A, 4,609,551 02 September 1986	13
X	Vander Giessen et al. Journal of International Cardiology. Vol. 1(2): 109-120. 1988	13

* Special categories of cited documents: 10

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

IV. CERTIFICATION

Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report
5 March 1990	20 APR 1990
International Searching Authority	Signature of Authorized Officer
ISA/US	Suzanne Ziska